

Mississippi County Profile



Mental Health, Substance Use and related outcomes George County 2011

This report provides a summary of current prevalence and trends in Mental Health, substance use and related outcomes for George County, Mississippi.

Socio economic and Demographic Estimates

Population % change: 17.9
Socio-Economic Indicators
% Rural: 100
Median household Income: 43043
% Below poverty level: 16.2
% Children in Single parent hhds:19
% Children in Poverty : 24
% on Free Lunch:
Unemployment Rate: 10
High School Graduation (AGFR): 50
*County Health Rankings (2011)
Health Factors: 47
Health outcomes: 58

Mental Health Indicators

Substance Abuse and Dependence

Adolescents
Past 30 day use Adolescents
(2010)

Alcohol: **25.52**Tobacco:**21.2**Marijuana:**11**

Prescription drugs:**7.28**Other Illicit drugs:**10.81**

Rank highest Prevalence (1) to lowest (82)

Alcohol Rank: **32**Tobacco Rank: **11**Marijuana Rank: **36**Prescriptions Rank: **16**

Illicit Drugs Rank: 21

Adults

% Adult Current Smokers: 27% Excessive Drinking: 7

% Binge Drinkers: **7**

% Past 30 day use of ATOD 12 or older:

Total Substance Abuse Treatment Admissions (2010):30

Alcohol: 14 Marijuana: 2 Methamphetamine:4

Heroin: 4 Cocaine: 3 Other Opiates: 2

Perception of Risk of harm among 6 th -11 th grade students						
	slight/ moderate risk	Great risk				
Taking one or 2 drinks nearly everyday	56.28	23.77				
Trying one or 2 drinks of alcohol	51.05	14.42				
Take four or five drinks nearly everyday	39.65	44.85				
5+ Drinks once or twice each weekend	32.03	51.45				
1 or more packs of cigarettes per day	35.99	50.9				
Use smokeless Tobacco regularly	48.1	36.25				
Try marijuana once or twice	41.93	32.35				
Smoke marijuana occasionally	36.72	42.4				
Smoke marijuana regularly	20.2	60.83				
Try cocaine powder once or twice	37.82	47.21				
Try crack cocaine once or twice	36.5	48.87				
Try cocaine powder occasionally	25.63	60.78				
Try cocaine powder regularly	13.06	73.38				
Try crack cocaine occasionally	27.4	58.9				
Try crack cocaine regularly	10.43	75.54				

Perceptions of use by peers

Percent Reporting use by at least one of their

friends

Alcohol: **54.41**Tobacco: **55.3**Other Drugs: **28.27**

Personal Approval

Percent reporting use is very wrong or wrong

Alcohol:69.9 Tobacco:78.36 Other Drugs:94.26 Marijuana:84.63

Perceived Parental Approval

Percent reporting use is very wrong or wrong

Alcohol: **85.78**Tobacco: **90.39**Marijuana: **93.78**

Other Health Behaviors and Outcomes

% Adults reporting poor or fair health: 25

Mean physically unhealthy days/month: 4.9

Incidence rate of Liver Cancer (2004-2008):

% Low birth weight: 10.1

Teen birth rate per 1000 female (15-19): 97

HIV Rate: 63 Adult obesity: 35

**Years of potential life lost before age 75 per 100,000 population

Crime

Homicides per 100,000 populations: 11

Total Juvenile Arrests:250

Mortality and Injury

Premature death**: 12715

2011 MVC death rate/100,000: 44

Suicide related deaths:

Health care

Mental Health Region:14

% Uninsured Adults: 29 Medicare Enrollees: 5265

Number of Mental Health Providers:0

Data Sources:

Census Bureau, 2010; MS Department of Mental Health Substance Abuse Treatment data;

Robert wood Johnson Foundation, 2011 County health ranking data

Mississippi Smarttrack Survey, 2010

 $Note: All\ rates\ are\ per\ 100000.\ Rates\ are\ age-adjusted\ to\ the\ 2000\ U.S.\ Standard\ Million\ Population.$

Data accessed November 29, 2011. Based on data released February 8, 2011.

- $^{\sim}$ Counts are suppressed if fewer than 5 cases were reported in the specified category.
- *** missing data or Counts < 15 (too few to calculate a stable age-adjusted rate)

The population estimates for 2005 are adjusted to account for population shifts due to Hurricane Katrina